


# ELD SOLUTION

## ELECTRONIC


## LOGBOOK

## DRIVER GUIDE



# ELD SETUP

1. Find the diagnostic port on your vehicle. The required connector or adapter may be different for your vehicle. If you're having trouble locating this port, refer to your vehicle's owner manual.
2. Connect the ELD to the diagnostics port with the provided cable. Press until the clip snaps into place. Then, mount the device on the dashboard.



# HOS MANAGEMENT

The screenshot shows a mobile application interface for editing duty status. At the top, the title is "Edit Duty Status". Below the title is a grid showing duty status for 12 months (M 1-12, N 1-12, M 1-12). The grid has four rows: OFF (04.68), SB (01.72), D (05.27), and ON (00.62). Below the grid are six radio button options: Off Duty, Sleeper, Driving, On Duty, Personal Use, and Yard Moves. The "Sleeper" option is selected. Below the radio buttons is a section for "Start Time (ET)" and "Duration". The start time is "07:50:07 AM". Below that is a section for "Vehicle" with the value "Track 77". Below that is a section for "Location" with the value "3mi E from Linden, NJ".

Follow these instructions to edit your logs:

- If you need to edit a past duty status, select the log and tap Pencil.
- Tap the plus icon to add a past duty status.
- Tap Start Time to specify the beginning of the status change. Then, tap Done. Repeat this step for the end time of your status addition.
- Add your status details:
  - Add Location
  - Add notes
- Tap SAVE in at the bottom.

\*Driving time is automatically recorded and cannot be edited.