
DRIVE SMARTER, NOT HARDER.

ELD MANDATE COMPLIANT

pulseELD

PULSEELD.COM





*))

Instruction Manual for Drivers

Get Started •	—— 02
Download the App	
Start Using the App •	—— 03
Login to Your Account	
Connection •	04
Connect Your Device	
Quick Access	05
Preferences, Information Packet, Log Out	
Assignments •	—— 06
Equipment, Co-Driver, and Docs Information	
Status Change •	07
Drive, Shift, Break, Cycle	

Remaining & Reca

Drive, Shift, Break, Cyc

Main Menu •

Logs, DVIR, Inspection,

Logs -

Logs Overview and Ass

DVIR • Driver Vehicle Inspection

Inspection •

Inspection Documenta

Team •

Add and Edit Team Drivers

ap with Overview •	08
	09
, Team	10
signment	
ion Report	11
ation in CSV & PDF	12
	14
ivers	

PulseELD



Search

About Us

Download PulseELD.


To install PulseELD. onto your device:

Navigate to the Google Play or Apple App store from your device and find PulseELD. 1.

X

- Tap **Install/Get**. 2.
- 3. When the install is complete, open PulseELD and **sign in.**





About Us

Start Using pulseELD

Start By Logging In

- 1. Enter your **Company ID** (Company123) into the **Company ID field**
- 2. Tap on **Continue** button
- 3. Enter your **username** (User123) into the **Username Field**
- 4. Enter the **password** into the **Password field**
- 5. Tap on **Login** button

	9:41 If a lease in the
pulseELD	pulseELD
Visit Website	<u>Visit Website</u>

Connection

Note: Please make sure your truck VIN number matches the input, as there can be more vehicles surrounding yours.

9:41 Connection	9:41	Scan for Devices		9:41	ELD Info	ul 🗢 🔲
his option provides the user with a list with all devices in range. Devices are sorted by their	PT30_B60B	CA:96:A4:56:B6:0B .1		onnected Vehicle		N1177
signal strength, so if you're inside the truck /our device will always appear on top of the list. Besides that you could always check to ee if the listed MAC address matches the one on the device.	РТ30_В60В	CA:96:A4:56:B6:0B .1		V0IV0/VINL650	#	VIN 4V4NC9GHX6N20346 Plate CH84935
Scan for Devices			p	ГЗО_В60В СА:9)6:A4:56:B	6:0B .I
This option allows the user to input the MAC address manually in case it's not showing on the list of scanned devices. Besides that here's also a list of conditions that need to be met in order to connect successfully.				Update		Disconnect 41.669165
Connect Manually				ongitude		-87.747510
his option provides the user with a list of all			S	peed (mph)		0
ehicles for manual selection, in cases when user cant connect to appropriate device. Besides vehicle IDs, listed vehicles will also			0	dometer (miles)		2095.00
ntain VIN number to ensure that user can be sure that he selected the right vehicle.			Er	igine Hours		43.65
Continue Disconnected		Connect		Go	o to Dashbo	oard

Connection

Scan & Select Device

Connection Screen



Connect Manually

Quick Access


This section offers quick access to important features within the application. Users can access the application preferences to customize their experience, view the user manual to learn more about the application and its features, or log out from the application with just one tap.

(40000000) (1)	
9:41	/ 11 奈 ■
John Wick	∓ () [→
Driving 1h 22m	Disconnected 2h 30m
Vehicle	002235
Trailer	223559
Shipping Doc #	12-20002-13
Co-Driver	John Snow
Next violation CYCLE	Remaining 07h 30m
Reset period: 10h 00m	
Remaining	Recap
DRIVE (11-Hour Driving limit)	11:00
SHIFT (14-Hour On Duty Limit)	14:00
BREAK (30 Minute Rest Break)	08:00
CYCLE (USA 70/8)	70:00
Logs DVIR Inspec	tion

9:41	
<	Preferences (5
Application	
Language	English >
Odometer	mi >
Theme	Light >
Driver	
Username	driver@truck.com
Name	John Wick
Phone	(786) 273-7726
Licence	FL, 12367152
Ruleset	
Cycle Rule	USA 70 hour / 8 Day $ ightarrow$
Cargo Type	Property >
	Save

9:41 Information Packet User Manual The user's manual, instruction sheet, and malfunction instruction sheet can be in electronic form. This is in accordance with the federal register titled "Regulatory Guidance Concerning Electronic Signatures and Documents" (76 FR 411). View User Manual Instructions In addition to the above, a supply of blank driver's records of duty status (RODS) graph-grids sufficient to record the driver's duty status and other related information for a minimum of 8 days must be onboard the commercial motor vehicle (CMV). View Instructions

Dashboard



9:41 John Wick	ي الم ت Disconnector		
Vehicle Trailer	0027 223	9:41 John Wick	
Shipping Doc # Co-Driver	12-20002 John S	Driving 1h 22m	Disconnected 2h 30m
Next violation CYCLE Reset period: 10h 00m	Rema 07h 3	Vehicle Trailer Assignments	002235 223559
Remaining DRIVE (11-Hour Driving limit	Recap	Vehicle 002235 Trailer	<u></u>
SHIFT (14-Hour On Duty Lin BREAK (30 Minute Rest Bre		223559 Shipping Doc # 12-20002-13	
CYCLE (USA 70/8)	70	Co-Driver John Snow	<u>.</u>
Logs Q Logs DVIR Ins	Spection T	Cancel SHIFT (14-Hour On Du BREAK (30 Minute Res	
		CYCLE (USA 70/8)	70:00

Equipment Information

Displays connected vehicle and allows the driver to keep their trailer number up to date.

Other Information

Displays Co-driver name and allows the driver to keep their shipping documents up to date.

Assignments

John Wick Driving 1h 22m	로 û E Disconnected 2h 30m		
Vehicle	0027	9:41	ອີ pulseELD
Trailer	223	Status Change	se Sto
Shipping Doc #	12-20002	M 1 2 3 4 5 6 7 8 9 10 11 N 1 2 3	3 4 5 6 7 8 9 10 11 M
Co-Driver	John S	مان	
Next violation	Rema	OFF • 00:00 SB • 00:00 D •	00:00 ON • 00:00
CYCLE Reset period: 10h 00m	07h 3	Off Duty Sleeper	Personal Use
Remaining	Recap		Choose t
DRIVE (11-Hour Driving limit		Driving On Duty	Yard Moves
SHIFT (14-Hour On Duty Lin			Correct
BREAK (30 Minute Rest Brea		Time	م Type in c
		06/02/2023 21:01:20	agree wit
CYCLE (USA 70/8)	70	2.3 SSW from San Francisco,	ca 🛞
		Comment	Describ
	pection T		Explain y
		Waiting Loading Fuel B	reak PTI Unload pre-selec

tus Change

ty Status

atus you need and just tap on it to select

ation

- location description in case you don't
- one provided by the system

ıty

tatus by adding a comment or use one of uggestions.


Remaining & Recap with Overview

This section provides a comprehensive overview of a driver's Hours of Service (HOS) information and compiles a concise summary .

Next violation	Remaining
CYCLE Reset period: 10h 00m	07h 30m
Remaining	Recap
DRIVE (11-Hour Driving limit)	11:00
SHIFT (14-Hour On Duty Limit)	14:00
BREAK (30 Minute Rest Break)	08:00
CYCLE (USA 70/8)	70:00

Hours of Service Table

Toggle between remaining and recap hours for easy compliance with Hours of Service regulations."





Learn more about the Menu options at the bottom of the screen.



Logs

Navigate backwards to review the previous logs





Insert the defects into the form




Inspection

Tap here and give your portable device to the officer




Team

Log in your Co-driver and switch roles






This section provides a daily overview of driving logs, allowing drivers to view all events and assignments for each day. Drivers can certify their logs for each day separately or all at once using the "Certify All" feature.








		Sat, Sep 23, 2022	
			• 00:0
Form	n • Uncerti	fied	~
SB	08:20am	2.3mi WNW from Memphis, TN	^
A	1h 50min	Waiting for split sleeper.	Î
ON	08:20am	2.3mi WNW from Memphis, TN	~
OFF	08:20am	2.3mi WNW from Memphis, TN	~
D	08:20am	2.3mi WNW from Memphis, TN	~
YM	08:20am	2.3mi WNW from Memphis, TN	~
PU	08:20am	2.3mi WNW from Memphis, TN	~

Certify All

Review Events

		Sat, Sep 23, 2022	
didd	10,10,00,00,00,00,00,00,00,000,000,000,		
For	n • Uncerti	fied	~
Veh	icles		Label >
Trail	ers		Label >
Ship	ping Docs		>
Co-	Drivers		>
		Certify	
SB	08:20am	2.3mi WNW from Memphi	s, TN 🗸
ON	08:20am	2.3mi WNW from Memphi	s, TN 🗸
OFF	08:20am	2.3mi WNW from Memphi	s, TN 🗸
D	08:20am	2.3mi WNW from Memphi	s, TN 🗸
	08:20am	2.3mi WNW from Memphi	s, TN 🗸
YM		2.0	

Assignments Overview



DVIR

Online Reports

The DVIR feature provides a way for you to create online "Driver's Vehicle Inspection" reports while in the field. This helps to ensure that your vehicle confirms to the FMCS's safety regulations.

Defects

Having vehicle and trailer numbers populated automatically, the driver just needs to select the defects from the long list of pre-determined values.

Condition & Remark

Driver can choose a condition of the vehicle ("Satisfactory", "Unsatisfactory") from the dropdown list and may add comments or remarks against a DVIR in the input field just below it.



Inspection

Inspection Inspect logs for the 24-hour period and the previous days for ones HOS cycle Select "start Inspection" and give your device to officer **Visual Inspection** Send logs for the 24-hour period and the previous days for one HOS cycle Send your logs to the officer if they request Transfer Logs Email logs for the 24-hour period and the previous cycle as PDF Email your logs in the PDF format **Email Printout**

Visual Inspection

Review logs for the current 24-hour period and the previous **seven** consecutive days **tap "Start Review"** button and give your device to the DOT Officer.

Information Packet

View user manual and instructions.

Transfer Logs

Transfer data of the compilation of the driver's ELD records.

Email Printout

Email logs for the current 24-hour period and the previous **seven** consecutive days Email your logs to the DOT Officer if they request a paper copy of your logs.

Inspection

This section provides an ability for DOT officer to visually inspect all documents related to driver's activities, transfer output files to FMCSA over email or web service, email the printout to any email address provided and access user manual or instruction card.

9:41		9:41	9:41	9:41
<	Visual Inspection	Transfer Logs	<pre>K Email Printout</pre>	K Information Packet
<	Tuesday, Feb 21	Email Web Service	Email	User Manual
Carrier Name Nas Freight LC Dire Versier Nas Freight LC Direr Name Natip Nitist Touch Tactor JD Nitist Co Other Journ Modor Co Other Journ Modor Co Direr Journ Modor	Log Printout USA 70 hours: Barl Print Date Feb 26 2023 Carlie DOT 34 Period Starting Time Device Dates Starting Device Dot Tenasoe Other thron UTC 205067 34 Period Starting Time Device Dot Tenasoe Other thron UTC 205067 000000 4 Device Do Device Dotents Market Priver Literate Statte Tenasoe Other thron UTC 20507 Device Dotents Market Priver Dotents Statte Hours Dotents Market Priver Dotents Statte Market Dotentser Stat 54 Odosetter Statter Dotents-Hours Hours Dotents-Hours Carolinetroll Nika P72408 Mathenchon Indiant Nika P72408 No Nika Nika No Nika Nika No Nika Nika	Comment		The user's manual, instruction sheet, and malfunction instruction sheet can be in electronic form. This is in accordance with the federal register titled "Regulatory Guidance Concerning Electronic Signatures and Documents" (76 FR 411). View User Manual
Visionerites	Line U Call Line U Call Call Inter U Call Call Inter U Call November 21 2022 dl 19/2733 Line U Call III W of Navyer Re, IL, Image: Sea			Instructions In addition to the above, a supply of blank driver's records of duty status (RODS) graph-grids sufficient to record the driver's duty status and other related information for a minimum of 8 days must be onboard the commercial motor vehicle (CMV).
Siesper 12.000 Login 04.282 Siesper 12.000 Login 04.282 Login 04.282	22 MM 12mi S of McRupue CBL, IN 603238 164083 mutamikké@ Rundum comment 004 ML 12mi S of McRupue CBL, IN 603238 164083 Driver 22 MM 12mi S of McRupue CBL, IN 603238 164083 Driver 004 ML 12mi S of McRupue CBL, IN 603238 164083 Driver 024 ML 12mi S of McRupue CBL, IN 60238 164083 Driver 22 MM 12mi S of McRupue CBL, IN 60238 164083 Driver 22 MM 12mi S of McRupue CBL, IN 60238 164083 Driver 22 MM 12mi S of McRupue CBL, IN 60238 164083 Driver 00 AM 12mi S of McRupue CBL, IN 60238 164083 Driver 00 AM 12mi S of McRupue CBL, IN 60238 164083 Driver			View Instructions
Weeke ID 123 123	Start (KST) Lacities Odemeter Explore H 12:00:00 AM 12:ex5-sdr McRigue CRu, N 602138 16008.3 0428:22:AM 12:ex5-sdr McRigue CRu, N 602138 16008.3 Exertify these entries are true and correct: Driver Signature	Transfer	Send	
PI	DF Overview	Send Output File via Email	Send PDF for Your Records	Information Packet

Inspection Inspect logs for the 24-hour period and the previous days for ones HOS cycle Select "start Inspection" and give your device Usual Inspection Usual Inspection Authentication Needed Please enter your password in order to return to return to return Password Tenail Printout Email Printout BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.	9:41	(0.55)		奈 ■
the previous days for ones HOS cycle Select "start Inspection" and give your device to officer Visual Inspection Authentication Needed Please enter your password in order to return to the application Password ********* © Cancel Confirm Email Printout BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.	(Inspe	ection	
to officer Visual Inspection Authentication Needed Please enter your password in order to return to the application Password ********** Cancel Confirm BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.				
Authentication Needed Please enter your password in order to return to the application Password ****** Cancel Confirm Cancel Confirm BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.	Select			device
Please enter your password in order to return to the application Password ********* © Cancel Confirm Email Printout BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.		Visual In	spection	
Please enter your password in order to return to the application Password ********* © Cancel Confirm Email Printout BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.	C	(+ 0.4	• • • • • • • • • • • • • • •	
to the application Password ****** Cancel Confirm Email Printout BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.				
******** Cancel Confirm Cancel Confirm Email Printout BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.			vord in order to	return
Email Printout BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.				0
Email Printout BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.				
BeSafe certifies that use of the BeSafe logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.		Cancel	Confirm	
logs app with ONE PLUS ELD device complies with all requirements for ELD as defined in Federal Motor Carrier Safety regulation 49 CFR Part395 Subpart B.		Email F	Printout	
Information Packet	log comp defir	s app with ONE lies with all req ned in Federal M	PLUS ELD de uirements for I Notor Carrier S	vice ELD as afety
		Informati	on Packet	

Authentication Code

John Wick	Driver			pulse
On Duty: 2h 31m	Switch			Τ
sername Iser123	9:.	41 Team	° → 	
'assword *****	© 」	ohn Wick	Driver	
Add Co-Driver	On I	Duty: 2h 31m	Switch	
	J.	ames Smith	Passenger	Addi
		per: 1hr 30m	Logout	The C
				tap th
				Swite
				To sw
				sectio

Adding an Additional Driver

The Co-Driver must enter Username & Password and then tap the button Add Co-Driver to continue.

Switching the Active Driver

section.



To switch roles, press "switch" button in the active driver